


BACA Branches at 30°



BACA Branches at 30°

Full welded cylindrical branches at 30° with three same diameters or conical with different diameters with a sheet thickness of 2.00 mm.

These branches are suitable for the transport of waste materials such as dust and chips but also for the transport of grains and such.



Material

2.00 mm black steel 1.0330 powder coated in RAL 7032.
Electrostatically conductive and food-safe powder coating thickness of 30 to 60 µm.
Temperature resistance up to +80°C.

Type

Rolled sheets with 6 mm edges for lock rings.

Ø d mm	Code	H mm	L mm	M mm	s mm	Weight kg
100	BACA000134	300	235	25	2.00	2.50
120/100/100	BACA000135	290	235	25	2.00	2.50
120/100/120	BACA000136	340	280	25	2.00	3.39
120	BACA000137	340	280	25	2.00	3.39
140/100/100	BACA000138	300	245	25	2.00	2.50
140/100/120	BACA000139	300	245	25	2.00	3.39
140	BACA000140	390	315	35	2.00	4.47
150/100/100	BACA000141	290	235	25	2.00	2.50
150/100/120	BACA000142	290	235	25	2.00	3.39
150/120/120	BACA000143	340	380	25	2.00	3.39
150/100/140	BACA000144	320	270	20	2.00	4.47
150/100/150	BACA000145	330	280	20	2.00	4.89
150	BACA000146	390	330	15	2.00	4.89
160/100/140	BACA000147	320	260	25	2.00	4.47
160/100/150	BACA000148	330	280	25	2.00	4.89
160/120/160	BACA000149	380	320	30	2.00	5.47
160	BACA000150	420	340	35	2.00	5.47
175/120/120	BACA000151	340	280	25	2.00	3.39
175/100/140	BACA000152	300	250	20	2.00	4.47
175/120/140	BACA000153	340	280	25	2.00	4.47
175/100/150	BACA000154	290	235	25	2.00	4.89
175/120/150	BACA000155	340	280	25	2.00	4.89
175/150/150	BACA000156	410	330	35	2.00	4.89
175	BACA000157	450	360	35	2.00	6.40
200/100/100	BACA000158	270	200	35	2.00	2.50
200/120/120	BACA000159	290	220	35	2.00	3.39
200/140/140	BACA000160	390	325	35	2.00	4.47
200/120/150	BACA000161	320	240	40	2.00	4.89
200/150/150	BACA000162	410	330	35	2.00	4.89
200/120/160	BACA000163	340	280	25	2.00	5.47
200/100/175	BACA000164	290	235	25	2.00	6.40
200/120/175	BACA000165	340	280	25	2.00	6.40
200/150/175	BACA000166	410	330	35	2.00	6.40
200/100/200	BACA000167	300	245	25	2.00	8.68
200/150/200	BACA000168	460	380	35	2.00	8.68

BACA Branches at 30°

Options

- FDA and EU compliant food-grade quality
- hot-dipped galvanized or stainless steel execution
- wear resistant lining as of Ø150 (83° Shore)
- equipotential equalization
- other colors
- other diameters
- other sheet thickness, depending on length and diameter
- other types of edges or connections

Ø d mm	Code	H mm	L mm	M mm	s mm	Weight kg
200	BACA000169	530	430	40	2.00	8.68
224/150/150	BACA000170	410	340	35	2.00	4.89
224/140/160	BACA000171	390	310	35	2.00	5.47
224/140/175	BACA000172	390	325	35	2.00	6.40
224/100/200	BACA000173	300	245	25	2.00	8.68
224/120/200	BACA000174	340	280	25	2.00	8.68
224	BACA000175	580	480	40	2.00	10.68
250/160/160	BACA000176	430	340	35	2.00	5.47
250/175/175	BACA000177	450	360	35	2.00	6.40
250/120/200	BACA000178	370	290	35	2.00	8.68
250/150/200	BACA000179	400	310	40	2.00	8.68
250/175/200	BACA000180	450	360	35	2.00	8.68
250/200/200	BACA000181	530	440	40	2.00	8.68
250/120/224	BACA000182	340	280	25	2.00	10.68
250/140/224	BACA000183	390	325	35	2.00	10.68
250/100/250	BACA000184	300	245	25	2.00	12.62
250	BACA000185	620	510	40	2.00	12.62
280/150/175	BACA000186	390	300	40	2.00	6.40
280/140/200	BACA000187	370	290	35	2.00	8.68
280/150/200	BACA000188	400	310	40	2.00	8.68
280/175/224	BACA000189	460	370	40	2.00	10.68
280/200/224	BACA000190	520	420	40	2.00	10.68
280/200/250	BACA000191	540	450	35	2.00	12.62
280/100/280	BACA000192	370	300	35	2.00	15.77
280	BACA000193	690	570	40	2.00	15.77
300/200/200	BACA000289	480	380	40	2.00	8.68
300/224/224	BACA000290	580	480	40	2.00	10.68
300/120/250	BACA000291	360	290	35	2.00	12.62
300/140/250	BACA000292	390	315	35	2.00	12.62
300/150/250	BACA000293	400	310	40	2.00	12.62
300/160/250	BACA000294	430	350	35	2.00	12.62
300/175/250	BACA000295	450	360	35	2.00	12.62
300/200/250	BACA000296	530	440	40	2.00	12.62
300/250/250	BACA000297	620	500	40	2.00	12.62
300/100/300	BACA000298	300	245	25	2.00	17.56
300/120/300	BACA000299	400	330	30	2.00	17.56
300	BACA000300	720	600	40	2.00	17.56
315/200/200	BACA000301	470	370	40	2.00	8.68
315/175/224	BACA000302	450	350	40	2.00	10.68
315/160/250	BACA000303	440	350	40	2.00	12.62
315/175/250	BACA000304	470	370	40	2.00	12.62
315/175/280	BACA000305	490	400	40	2.00	15.77
315/200/280	BACA000306	540	440	40	2.00	15.77
315/100/315	BACA000307	360	300	35	2.00	20.08
315	BACA000308	780	645	45	2.00	20.08
350/200/250	BACA000309	490	380	40	2.00	12.62
350/250/250	BACA000310	620	500	40	2.00	12.62
350/200/280	BACA000311	500	400	40	2.00	15.77
350/150/300	BACA000312	410	330	35	2.00	17.56
350/200/300	BACA000313	530	440	40	2.00	17.56

BACA Branches at 30°

Ø d mm	Code	H mm	L mm	M mm	s mm	Weight kg
350/224/300	BACA000314	580	480	40	2.00	17.56
350/250/300	BACA000315	620	500	40	2.00	17.56
350/300/300	BACA000316	720	600	40	2.00	17.56
350/175/315	BACA000317	490	400	40	2.00	20.08
350/100/350	BACA000318	370	300	40	2.00	23.22
350	BACA000319	820	670	45	2.00	23.22
400/250/250	BACA000320	550	430	40	2.00	12.62
400/250/300	BACA000321	580	460	40	2.00	17.56
400/300/300	BACA000322	720	590	40	2.00	17.56
400/280/315	BACA000323	650	530	40	2.00	20.08
400/150/350	BACA000324	420	340	35	2.00	23.22
400/175/350	BACA000325	450	365	35	2.00	23.22
400/224/350	BACA000326	580	480	40	2.00	23.22
400/100/400	BACA000327	360	300	40	2.00	29.97
400	BACA000328	925	770	45	2.00	29.97
450/300/300	BACA000329	650	510	40	2.00	17.56
450/250/350	BACA000330	580	460	40	2.00	23.22
450/300/350	BACA000331	720	590	40	2.00	23.22
450/350/350	BACA000332	820	670	45	2.00	23.22
450/200/400	BACA000333	530	440	40	2.00	29.97
450/250/400	BACA000334	620	500	40	2.00	29.97
450/120/450	BACA000335	400	330	40	2.00	38.50
450	BACA000336	1050	870	45	2.00	38.50
500/250/400	BACA000337	580	460	40	2.00	29.97
500/300/400	BACA000338	700	570	40	2.00	29.97
500/350/400	BACA000339	820	670	45	2.00	29.97
500/400/400	BACA000340	825	765	45	2.00	29.97
500/224/450	BACA000341	580	480	40	2.00	38.50
500/300/450	BACA000342	720	590	40	2.00	38.50
500/150/500	BACA000343	470	390	40	2.00	46.82
500	BACA000344	1150	960	45	2.00	46.82
550/250/450	BACA000345	580	460	40	2.00	38.50
550/350/450	BACA000346	790	640	45	2.00	38.50
550/250/500	BACA000347	640	520	45	2.00	46.82
550	BACA000348	1240	1040	45	2.00	55.38
560/350/450	BACA000349	790	640	40	2.00	38.50
560/350/500	BACA000350	830	680	45	2.00	46.82
560/150/550	BACA000351	470	380	45	2.00	55.38
560/150/560	BACA000352	480	390	45	2.00	59.58
560	BACA000353	1300	1100	45	2.00	59.58
600/250/500	BACA000354	580	460	40	2.00	46.82
600/300/500	BACA000355	700	560	45	2.00	46.82
600/315/560	BACA000356	760	630	45	2.00	59.58
600/150/600	BACA000357	480	390	45	2.00	65.56
600	BACA000358	1345	1125	45	2.00	65.56
630/350/500	BACA000359	770	610	45	2.00	46.82
630/280/560	BACA000360	680	550	45	2.00	59.58
630/300/600	BACA000361	760	620	45	2.00	65.56
630/300/630	BACA000362	780	650	45	2.00	73.50
630	BACA000363	1430	1220	45	2.00	73.50